

2017-2

WEINSBERG

Dein Urlaub!


TECHNICAL SPECIFICATIONS

Caravans // CaraOne / CaraTwo




CaraOne


390 QD




400 LK




420 QD




450 FU




480 EU




480 QDK




500 FDK




500 XU



550 QDK




740 UDF




CARAVAN LAYOUTS* 2017

CaraTwo




* Description without engagement: All the illustrations shown (here) are schematic representations without engagement. The actual vehicle and equipment features may differ from the layout examples. Certain vehicle and equipment features are not granted by the illustrations and cannot (therefore) be acquired as basis/standard equipment/are not included in the standard equipment. (Therefore), please make sure to contact your dealer about the specific features and the selected equipment of your chosen vehicle before purchasing it.

HOW TO READ OUR LAYOUTS



- 1 Sofa
- 2 3 Gas hobs and sink
- 3 Room dividers
- 4 Ladder symbol for bunkbeds
- 5 Laundry cupboard
- 6 Separate sinks
- 7 Toilet and shower
- 8 Refrigerator
- 9 Dinette
- 10 Wardrobe
- 11 Fixed bed
- 12 Windows

TECHNICAL DATA




CaraOne	390 QD	400 LK	420 QD	450 FU	480 EU
Total length	594	594	638	664	710
Interior length (cm)	400	400	444	470	516
Total width / Interior width (cm)	220 / 204	220 / 204	220 / 204	232 / 216	232 / 216
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm)	853	853	897	923	969
Mass of the unladen vehicle (kg) *	850	850	900	960	1.040
Mass in running order (kg) *	890	890	940	1.000	1.080
Tecnically maximum authorized laden mass (kg)*	1.100	1.100	1.100	1.200	1.350
Maximum load capacity (kg) *	210	210	160	200	270
Tyre size	195/70R14	195/70R14	195/70R14	195/70R14	195/70R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	up to 4 ¹⁾	up to 5 ³⁾	up to 4 ¹⁾	4	4
Bed dimensions, front (cm)	196 x 136	137 x 187	196 x 146	197 x 137	198 x 86/213 x 86 ⁴⁾
Bed dimensions, centre (cm)	–	–	188 x 94/124 ¹⁾	–	–
Bed dimensions, rear (cm)	200 x 117/95 ¹⁾	204 x 76/193 x 83 ³⁾	–	199 x 157/133	199 x 137/127
Hinged windows all around (model Dometic C6) ²⁾	5	5	4	5	6
Skylights with insect protection	1	2	3	3	3
Mushroom-shaped fans / Skylight in bathroom	–	–	–	–	–

* Please refer to the notes and explanations on the rear
 - Not provided

¹⁾ Bed extension for sitting area available as an option

³⁾ 3rd bunk bed instead of bunk bed available as an option

⁴⁾ extendable slatted frame for single beds available as an option



CaraOne

480 QDK

500 FDK

500 XU

550 QDK

740 UDF

Total length	710	726	726	762	940
Interior length (cm)	516	532	532	568	746
Total width / Interior width (cm)	232 / 216	232 / 216	232 / 216	232 / 216	250 / 234
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm)	969	985	985	1.021	1.199
Mass of the unladen vehicle (kg) *	1.040	1.090	1.090	1.160	1.530
Mass in running order (kg) *	1.080	1.130	1.130	1.200	1.570
Tecnically maximum authorized laden mass (kg)*	1.350	1.350	1.350	1.500	1.900
Maximum load capacity (kg) *	270	220	220	300	330
Tyre size	195/70R14	195/70R14	195/70R14	185 R14C	185/65R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14

Sleeping berths	up to 7 ¹⁾ ³⁾	up to 7 ¹⁾ ³⁾	4	up to 7 ¹⁾ ³⁾	up to 8 ¹⁾
Bed dimensions, front (cm)	208 x 137	197 x 137	192 x 148	208 x 137	216 x 157/147
Bed dimensions, centre (cm)	188 x 94/124 ¹⁾ ³⁾	200 x 94/124 ¹⁾	–	188 x 94/124 ¹⁾	2 x 188 x 72; 188 x 94/124 ¹⁾
Bed dimensions, rear (cm)	2 x 187 x 66 ³⁾	2 x 187 x 72 ³⁾	199 x 137/127	2 x 188 x 66 ³⁾	197 x 156
Hinged windows all around (model Dometic C6) ²⁾	4	5	6	6	8
Skylights with insect protection	3	3	3	4	4
Mushroom-shaped fans / Skylight in bathroom	–	1	–	1	–

* Please refer to the notes and explanations on the rear
– Not provided

¹⁾ Bed extension for sitting area available as an option

³⁾ 3rd bunk bed instead of bunk bed available as an option

⁴⁾ extendable slatted frame for single beds available as an option

STANDARD EQUIPMENT

CHASSIS

- ▶ BPW chassis with semi-trailing link axle
- ▶ 2 hydraulic shock absorbers
- ▶ Automatic reverse
- ▶ Servo-assisted hand brake
- ▶ Winding corner steadies for stable standing

BODY

- ▶ Roof of GRP w/ reduced sensitivity of hail
- ▶ Aluminium hammer finish, on the side walls, front and rear in plain sheet metal
- ▶ One-key locking system
- ▶ Hinged double windows
(one each with combination blind in the kitchen area)
- ▶ Entrance door: Width 57 cm, lateral, horizontally split
- ▶ Foil artwork in grey/champagner
- ▶ Gas bottle locker with outside flap, with metal ground
(can be equipped with 2 x 23 kg bottles)
- ▶ Wall thickness: 31 mm, roof thickness: 31 mm, floor thickness: 38 mm
- ▶ 12 V awning lamp
- ▶ Third brake light

LIVING ROOM

- ▶ Furniture decor Oregon Ash and Sand Mellowtouch
- ▶ Durable PVC floor
- ▶ Corner shelves at U-seating group
- ▶ Canopy with lighting above kitchen
- ▶ Upholstery selection: ALU, OCEAN, LEMON
(additional charge: Active Navy)
- ▶ Curtain as room divider

POWER SUPPLY

- ▶ Electric connector to the towing vehicle, 13-pole Jäger
- ▶ Interior lighting completely in 12 V
- ▶ 230 V outside socket outlet
- ▶ Fi breaker
- ▶ 240 VA transformer
- ▶ Various socket outlets inside

GAS / WATER

- ▶ Gas heating: Truma heating S 3004 up to body length 550
(Truma S 5004 on 740 UDF) with Piezo ignition
- ▶ Gas regulator
- ▶ 15 l fresh water tank
- ▶ Water supply system with 12 V immersion pump
- ▶ Central waste water conduit, one outside drain under the floor

KITCHEN

- ▶ 3-burner cooker and sink made of stainless steel, with glass cover
- ▶ 107 l Dometic refrigerator, 12V, gas, 230 V

BATHROOM

- ▶ Dometic ceramic cassette toilet
- ▶ Corner washbasin in wooden cabinet, with mirror
- ▶ Wooden cabinet with shelves
- ▶ Shower equipment available as an option

PACKAGES

151010	Smart package 12 kg
150267	Stabiliser coupling
101712	Combination blinds for windows
450623	Fresh water tank permanent mount, 45 ltr, instead of 15 l can
551054	12 V air circulation system
150065	BPW „Stabilform“ heavy load supports, long

151015	Advanced package 16,3 kg
100750	Midi-Heki 70 x 50 cm
450083	Hot water supply Truma with connection for kitchen/toiletroom
100938	Flyscreen blind, full length of the door
450520	Shower extension for standard bathroom
450092	Waste water tank 25 litre, mobile

151020	Light package
	LED-spots instead of halogen-spots toi-room and kitchen baldachin (depending on layout)
	LED-strip instead of halogen-spots above stove and sink
	LED-mounted spots instead of halogen-spots above fixed bed
	LED-mounted spots above seating group
	LED-ambience lighting on open deposits
	LED-wall lighting children`s bed

151013	CaraKid Package 7 kg
	Power socket 230 V additional - interior
	Throw pillow with WILLI WEINSBERG motif
	WILLI WEINSBERG decal
	Service hatch suitable for baby carriage/buggy (cut out: 730 x 530 mm)
	Adhesive, magnetized blackboard foil on T divider wall and underside of the folding bunk bed
	elevated bed (baby changing table option)/window child lock
	USB charger sockets 5 V (1x) children's bed area
	Storage space and ottoman cover in HU
	Dinette wall covering - left + right of the window + winter backrest
	Wall and ceiling coverage of bed area (with child-friendly motifs)
	Step ladder and fall-protection in child-friendly shape
	Cup holder (incl. cup)
	Fall-protection - depending on layout for lateral or F bed
	4 additional garment hooks in washroom

OPTIONAL EQUIPMENT - CaraOne

Item no..		KG	CaraOne 390 QD	CaraOne 400 LK	CaraOne 420 QD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 QDK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 QDK	CaraOne 740 UDF
	FAHRZEUG											
	Gewichtserhöhung*											
150111	1.100 auf 1.200/1.350 kg	-	•	•	•	-	-	-	-	-	-	-
150111	1.100 auf 1.200/1.350 kg	-	•	•	•	-	-	-	-	-	-	-
150111	1.200 auf 1.350 kg	-	-	-	-	•	-	-	-	-	-	-
150112	1.200 auf 1.400/1.500 kg	15	-	-	-	•	-	-	-	-	-	-
150112	1.350 auf 1.400/1.500 kg	15	-	-	-	-	•	•	•	•	-	-
150112	1.350 auf 1.600/1.700 kg	25	-	-	-	-	-	-	•	•	-	-
150112	1.500 auf 1.600/1.700 kg	25	-	-	-	-	-	-	-	-	•	-
150111	1.900 auf 2.000 kg	-	-	-	-	-	-	-	-	-	-	•
*	The order of the weight increase has to be at least 3 month before the beginning of production											
	Chassis											
150108	Alloy wheels for single-axle models up to 1350kg		•	•	•	•	•	•	•	•	-	-
150109	Alloy wheels for single-axle-models as from 1400kg	-	-	-	-	-	-	-	-	-	•	-
150110	Alloy wheels for tandem axle-models	-	-	-	-	-	-	-	-	-	-	•
151168	BPW anti-skid system: Intelligent Drive Control - iDC	4	•	•	•	•	•	•	•	•	•	•
150065	BPW „Stabilform“ heavy load supports, long	6,4	•	•	•	•	•	•	•	•	•	•
151306	BPW „Stabilform“ heavy load supports, long, incl. XL-Foot	6,9	•	•	•	•	•	•	•	•	•	•
150267	Stabiliser coupling	2,5	•	•	•	•	•	•	•	•	•	•
100570	Drawbar covering	4	•	•	•	•	•	•	•	•	•	•
150122	Spare wheel (Steel) incl. car jack	21	•	•	•	•	•	•	•	•	•	•
151728	Spare wheel alloy wheel		•	•	•	•	•	•	•	•	•	•
150027	Spare wheel holder in the gas bottle locker	1	•	•	•	•	•	•	•	•	•	•
150620	Breakdown kit	1	•	•	•	•	•	•	•	•	•	•

OPTIONAL EQUIPMENT - CaraOne

Item no..	KG	CaraOne 390 QD	CaraOne 400 LK	CaraOne 420 QD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 QDK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 QDK	CaraOne 740 UDF
Body											
Windows, doors, ventilation											
101850	Hinged window in the front	-	S	•	•	•	•	•	•	•	•
100750	Midi-Heki 70 x 50 cm	2	•	•	•	•	•	•	•	•	•
100938	Flyscreen blind, full length of the door	4	•	•	•	•	•	•	•	•	•
INTERIOR											
Living room											
550590	3rd bunk bed 3)	-	-	•	-	-	-	•	•	-	•
551965	Move-out/extension for bed conversion including compensation upholstery	-	•	-	•	-	-	•	•	-	•
101712	Combination blinds for windows	1	•	•	•	•	•	•	•	•	•
552115	Ceiling cabinets instead of tray in the rear, left or right hand side	2	-	-	-	•	•	-	-	•	-
552116	Ceiling cabinets instead of tray in the front, left or right hand side	2	-	•	•	-	•	•	-	•	•
552413	Seating Group with ceiling cupboard instead of bunk bed in the rear		-	•	-	-	-	-	-	-	-
551408	Extendable slatted frame for single beds 4)	4	-	-	-	-	•	-	-	-	-
552414	Transversal bed instead of seating group in the front		-	•	-	-	-	-	-	-	-
550660	Deco package: Table runner, 2 woolen blankets, 2 pillows	1	•	•	•	•	•	•	•	•	•
552319	Cloth bag (not with "hinged window in the front (101850) available)		•	•	•	•	•	•	•	•	•
550279	Electric floor heating, til body length 550	-	•	•	•	•	•	•	•	•	-
550920	Electric floor heating, starting from body length 580	-	-	-	-	-	-	-	-	-	•
101717	Garage door beside the bunk bed (not possible in combination with 3rd bunk bed)	1	-	•	-	-	-	-	-	-	-
100612	Service hatch lockable	-	•	•	•	•	•	•	•	•	•
552188	Upholstery "Active Navy"		•	•	•	•	•	•	•	•	•
Electrics											
250376	12 V mobile system comprising: Gel battery, automatic charger, master switch and level indicator for fresh water	28,6	•	•	•	•	•	•	•	•	•
Gas, heating, water											
450092	Waste water tank 25 litre, mobile, in gas box	3,3	•	•	•	•	•	•			
450098	ALDE hot water heating	-	-	-	-	-	-	-	-	-	•

³⁾ extendable slatted frame for single beds available as an option / bed dimensions: 400 LK: 2 x 204 x 77 cm; 1 x 184 x 75 cm; 480 QDK: 179 x 65 cm; 182 x 64 cm; 186 x 66 cm; 500 FDK: 179 x 71 cm; 182 x 70 cm; 186 x 72 cm; 550 QDK: 180 x 65 cm; 183 x 64 cm; 188 x 65 cm


⁴⁾ Rollbettfunktion optional möglich / Bettenmaße 480 EU: 207 x 213/198 cm

⁵⁾ Seating group and folding bed rear right hand side optionally, bed dimensions underneath: 187 x 68, folding bed: 190 x 60

OPTIONAL EQUIPMENT – CaraOne

Item no..		KG	CaraOne 390 QD	CaraOne 400 LK	CaraOne 420 QD	CaraOne 450 FU	CaraOne 480 EU	CaraOne 480 QDK	CaraOne 500 FDK	CaraOne 500 XU	CaraOne 550 QDK	CaraOne 740 UDF
450623	Fresh water tank permanent mount, 45 ltr.	5	•	•	•	•	•	•	•	•	•	•
301956	Mono Control CS vertical (on 1 gas bottle)	1	•	•	•	•	•	•	•	•	•	•
301957	Duo Control CS vertical (on 2 gas bottles)	1	•	•	•	•	•	•	•	•	•	•
450083	Hot water supply Truma with connection for kitchen/toiletroom	5	•	•	•	•	•	•	•	•	•	•
550086	Truma Ultraheat - only in combination with opt. 551054 12 V air circulation system	2	•	•	•	•	•	•	•	•	•	•
551054	Recirculation air system (12V)	4	•	•	•	•	•	•	•	•	•	•
552052	Air conditioning Freshjet 2200	30	•	•	•	•	•	•	•	•	•	•
300518	Exterior gas socket	0,5	•	•	•	•	•	•	•	•	•	•
	Kitchen and sanitary area											
401307	Refrigerator 189 l. instead of 107 l.	18	–	–	–	–	–	•	–	–	•	•
102154	Hinged window for toiletroom - without blinds	1	•	•	•	•	•	•	•	•	•	•
102153	Blinds for hinged window toiletroom - only in combination with Opt. 102154 "Hinged window for toiletroom"	–	•	•	•	•	•	•	•	•	•	•
450520	Shower extension for standard bathroom (shower rail, shower curtain and rail) - only available in combination with Smart package + hot water supply Truma (Opt. 450083)	2	•	•	•	•	•	•	•	•	•	•
	Awnings											
500161	Awning 305 cm x 250 cm	23	•	•	–	–	–	–	–	–	–	–
500162	Awning 355 cm x 250 cm		–	–	•	•	–	–	–	–	–	–
500163	Awning 405cm x 250cm	30	–	–	–	–	•	•	•	•	–	–
501730	Awning 455cm x 250cm	33	–	–	–	–	–	–	–	–	•	•
	Others											
102232	Bicycle rack "Thule Caravan Comfort", 2 bicycles, towbar (excludes option 100570)	5	•	•	•	•	•	•	•	•	•	•
951036	Registration papers	–	•	•	•	•	•	•	•	•	•	•

TECHNICAL DATA



CaraTwo

390 QD

400 LK

450 FU

500 QDK

Total length	592	592	662	724
Interior length (cm)	400	400	470	532
Total width / Interior width (cm)	220 / 204	220 / 204	232 / 216	232 / 216
Total height / Interior height (cm)	257 / 196	257 / 196	257 / 196	257 / 196
Awning dimensions (cm)	853	853	923	985
Mass of the unladen vehicle (kg) *	850	850	960	1.090
Mass in running order (kg) *	890	890	1.000	1.130
Tecnically maximum authorized laden mass (kg)*	1.100	1.100	1.200	1.350
Maximum load capacity (kg) *	210	210	200	220
Tyre size	195/70R14	195/70R14	195/70R14	195/70R14
Rim size	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14	5 1/2 J x 14
Sleeping berths	up to 4 ¹⁾	up to 5 ^{2) 3) 5)}	4	up to 7 ^{1) 3)}
Bed dimensions, front (cm)	196 x 136	137 x 187 ⁵⁾	197 x 137	208 x 137/127
Bed dimensions, centre (cm)	–	–	–	187 x 94/124 ¹⁾
Bed dimensions, rear (cm)	200 x 117/95 ¹⁾	204 x 76/193 x 83 ^{2) 3) 4)}	199 x 157/133	2 x 186 x 66 ³⁾
Hinged windows all around (model Dometic C6) 6)	5	5	5	6
Skylights with insect protection	1	2	3	4
Mushroom-shaped fans / Skylight in bathroom	–	–	–	1

* Please refer to the notes and explanations on the rear

– Not provided

¹⁾ Bed extension for sitting area available as an option

²⁾ Seating group instead of bunk bed in the rear available as an option

³⁾ 3rd bunk bed instead of bunk bed available as an option

⁴⁾ Folding above rear seating group available as an option

⁵⁾ Packed bed instead of seating group available as an option

STANDARD EQUIPMENT

CHASSIS

- ▶ BPW chassis with semi-trailing link axle
- ▶ 2 hydraulic shock absorbers
- ▶ Automatic reverse
- ▶ Servo-assisted hand brake
- ▶ Winding corner steadies for stable standing

BODY

- ▶ Roof of GRP w/ reduced sensitivity of hail
- ▶ Aluminium hammer finish, on the side walls, front and rear in plain sheet metal
- ▶ One-key locking system
- ▶ Hinged double windows (one each with combination blind in the kitchen area)
- ▶ Entrance door: Width 57 cm, lateral, horizontally split
- ▶ Foil artwork grey + material colour
- ▶ C6 window with medium darkness level (front window C5)
- ▶ Gas bottle locker with outside flap, with metal ground (can be equipped with 2 x 23 kg bottles)
- ▶ Wall thickness: 31 mm, roof thickness: 31 mm, floor thickness: 38 mm
- ▶ 12 V awning lamp
- ▶ Third brake light

LIVING ROOM

- ▶ Furniture decor Cocobolo light and Sand Mellowtouch
- ▶ Durable PVC floor
- ▶ Canopy with lighting above kitchen
- ▶ Upholstery selection: Curry Yellow, Icewater, Wildberry
- ▶ 2 decorative cushions and 2 sleeping cushions
- ▶ Curtain as room divider

POWER SUPPLY

- ▶ Electric connector to the towing vehicle, 13-pole Jäger
- ▶ Interior lighting completely in 12 V
- ▶ 230 V outside socket outlet
- ▶ Fi breaker
- ▶ 240 VA transformer
- ▶ Various socket outlets inside

GAS / WATER

- ▶ Gas heating: Truma heating S 3004 with Piezo ignition
- ▶ Gas regulator
- ▶ 15 l fresh water tank
- ▶ Water supply system with 12 V immersion pump
- ▶ Central waste water conduit, one outside drain under the floor

KITCHEN

- ▶ 3-burner cooker and sink made of stainless steel, with glass cover
- ▶ 107 l Dometic refrigerator, 12V, gas, 230 V
- ▶ Fridge Thetford 142 liters, gas, 230 V, 12 V for 500 QDK (gas operation in driving mode is only allowed in combination with Truma Mono Control)

BATHROOM

- ▶ Dometic ceramic cassette toilet
- ▶ Corner washbasin in wooden cabinet, with mirror
- ▶ Wooden cabinet with shelves
- ▶ Shower equipment available as an option

PACKAGES

151010	Smart-Paket	12 kg
150267	Stabiliser coupling	
101712	Combination blinds for windows	
450623	Fresh water tank permanent mount, 45 ltr, instead of 15 l can	
551054	12 V air circulation system	
150065	BPW „Stabilform“ heavy load supports, long	

151015	Advanced package	16,3 kg
100750	Midi-Heki 70 x 50 cm	
450083	Hot water supply Truma with connection for kitchen/ toiletroom	
100938	Flyscreen blind, full length of the door	
450520	Shower extension for standard bathroom	
450092	Waste water tank 25 litre, mobile	

151040	Ambience light package CaraTwo	
	LED-strips behind al ceiling cabinet flaps, circumferential around the backrest, 2 nightlights with switch	

151050	Design-Kit Paket Weinsberg CaraTwo	
	Circumferential decor in acent colour dark grey (rear light moulding, wheel trims, bug elements below, side skirts, edge side panel below)	
	Panels in carbon colours left and right side rear window (not possible with children's bed window) and front window (only possible with option 101850)	
	14" light alloy wheels	

151013	CaraKid Package (new, possible for 500 QDK)	
	Power socket 230 V additional - interior	
	Throw pillow with WILLI WEINSBERG motif	
	WILLI WEINSBERG decal	
	Service hatch suitable for baby carriage/buggy (cut out: 730 x 530 mm)	
	Adhesive, magnetized blackboard foil on T divider wall	
	elevated bed (baby changing table option)/window child lock	
	USB charger sockets 5 V (1x) bunk bed area	
	Storage space and ottoman cover in HU	
	Dinette wall covering - left + right of the window + winter backrest	
	Dinette wall covering winter backrest	
	Wall and ceiling coverage of bed area (with child-friendly motifs)	
	Cup holder (incl. cup)	
	Rausfallschutz bei Querbett	
	4 additional garment hooks in washroom	

OPTIONAL EQUIPMENT - CaraTwo

Item no.		KG		CaraTwo 390 QD	CaraTwo 400 LK	CaraTwo 450 FU	CaraTwo 500 QDK
	VEHICLE						
	Weight increase *						
150111	1.100 up to 1.200/1.350 kg	-		•	•	-	-
150111	1.200 up to 1.350 kg	-		-	-	•	-
150112	1.200 up to 1.400/1.500 kg	15		-	-	•	-
150112	1.350 up to 1.400/1.500 kg	15		-	-	-	•
150112	1.350 up to 1.600/1.700 kg			-	-	-	•
*	The order of the weight increase has to be at least 3 month before the beginning of production						
	Chassis						
150108	Alloy wheels for single-axle models up to 1350kg			•	•	•	•
150109	Alloy wheels for single-axle models up to 1400kg			-	-	•	•
151168	BPW anti-skid system: Intelligent Drive Control - iDC	4		•	•	•	•
150065	BPW „Stabilform“ heavy load supports, long	6,4		•	•	•	•
151306	BPW „Stabilform“ heavy load supports, long, incl. XL-Foot	6,9		•	•	•	•
150267	Stabiliser coupling	2,5		•	•	•	•
100570	Drawbar covering (not possible in combination with option 102232)	4		•	•	•	•
150122	Spare wheel (steel) incl. car jack	21		•	•	•	•
150027	Spare wheel holder in the gas bottle locker	1		•	•	•	•
150620	Breakdown kit	1		•	•	•	•
	Body						
	Windows, doors, ventilation						
101850	Hinged window in the front	-		X	•	•	•
102154	Hinged window for toiletroom - without blinds (Skylight will be replaced with mushroom-shaped fan)	1		•	•	•	•
102153	Blinds for hinged window toiletroom - only in combination with Opt. 102154 "Hinged window for toiletroom"	-		•	•	•	•
100750	Midi-Heki 70 x 50 cm	2		•	•	•	•
100938	Flyscreen blind, full length of the door	4		•	•	•	•
100526	Garage door on the right side of the rear			-	-	-	•
	INTERIOR						
	Living room						
550590	3rd bunk bed 3)	-		-	•	-	-
552413	Seating Group with ceiling cupboard instead of bunk bed in the rear	-		-	•	-	-
552414	Transversal bed instead of seating group in the front	-		-	•	-	-

3) 3rd bunk bed optionally available / bed dimensions: 400 LK: 2 x 204 x 77 cm; 1 x 184 x 75 cm; 500 QDK: 180 x 65 cm; 183 x 64 cm; 188 x 65 cm

5) Seating group and folding bed rear right hand side optionally, bed dimensions underneath: 187 x 68, folding bed: 190 x 60

OPTIONAL EQUIPMENT – CaraTwo

Item no.		KG	CaraTwo 390 QD	CaraTwo 400 LK	CaraTwo 450 FU	CaraTwo 500 QDK
551965	Move-out/extension for bed conversion including compensation upholstery	–	•	–	–	•
552317	Seating group with folding bed instead of bunk bed in the rear		–	•	–	–
552115	Ceiling cabinets instead of tray in the rear, left or right hand side	2	–	–	•	–
552116	Ceiling cabinets instead of tray in the front, left or right hand side	2	•	•	–	•
550660	Deco package: 1 table runner, 2 woolen blankets	1	•	•	•	•
101712	Combination blinds for windows	1	•	•	•	•
550279	Electric floor heating, til body length 550	–	•	•	•	•
101717	Garage door beside the bunk bed (not possible in combination with 3rd bunk bed, or with seating group in the rear)	1	–	•	–	S
100612	Service hatch lockable	–	•	•	•	•
	Electrics					
250376	12 V mobile system comprising: Gel battery, automatic charger, master switch and level indicator for fresh water	28,6	•	•	•	•
	Gas, heating, water					
450092	Waste water tank 25 litre, mobile, in gas box	3,3	•	•	•	•
450623	Fresh water tank permanent mount, 45 ltr.	5	•	•	•	•
301956	Mono Contol CS vertical (on 1 gas bottle)	1	•	•	•	•
301957	Duo Control CS vertical (on 2 gas bottles)	1	•	•	•	•
450083	Hot water supply Truma with connection for kitchen/toiletroom	5	•	•	•	•
550086	Truma Ultraheat - only in combination with opt. 551054 12 V air circulation system	2	•	•	•	•
551054	Recirculation air system (12V)	4	•	•	•	•
300518	Exterior gas socket	0,5	•	•	•	•
	Kitchen and sanitary area					
450520	Shower extension for standard bathroom (shower rail, shower curtain and rail) - only available in combination with Smart package + hot water supply Truma (Opt. 450083)	2	•	•	•	•
	Awnings					
500161	Awning 305 cm x 250 cm	23	•	•	–	•
500162	Awning 355cm x 250cm		–	–	•	–
501730	Awning 455cm x 250cm		–	–	–	•
	Others					
102232	Bicycle rack "Thule Caravan Comfort", 2 bicycles, towbar (excludes option 100570)	5	•	•	•	•
951036	Registration papers	–	•	•	•	•

IMPORTANT INFORMATION

ALL CARAVANS AND MOTORHOMES BY WEINSBERG ARE DELIVERED WITH A EUROPE-WIDE 6 YEAR LEAK TIGHTNESS GUARANTEE AND A 24 MONTHS WARRANTY. PLEASE NOTE FOR ALL WEINSBERG CARAVANS AND MOTORHOMES:

Dimensions and weight data may vary ca. +/-5% due to tolerances of the natural raw materials used. With any modifications done on the vehicle by a non-authorized dealer or garage you may put at risk your personal security and lose WEINSBERG operating licence and warranty. Therefore please leave reoperations and retrofits to the authorized WEINSBERG dealers and insist on WEINSBERG original equipment. All price information are recommended retail prices with delivery ex work and include 19% legal VAT. The prices of the optional equipment are only valid for a factory moderated installation of the regular production. Retrofittings, if technically possible, will cause additional mounting and material costs. The prices of our individual packages are fixed prices and cannot be changed because of additional options. Ordering optional equipment which substitutes specific package options will not be delivered additionally. In exceptional cases some combinations of extras and options may occur as mutually exclusive. We reserve the right to any technical modifications as to design, colour, and equipment, if technical improvement requires us to do so. The contents of this list reflect arrangements at printing, in November 2016. It is effective as from 01.01.2017 for the 2017 model year. Mistakes and printing errors are excepted. Previous lists are no longer valid. We reserve the right to change content at our discretion. The water supply system is minimum state of the art (03/2009) (Regulation 2002/72/EG).

WEINSBERG caravans come with generous permissible vehicle payload options. By means of innovative solutions such as using high performance steel chassis' and honeycomb technology on furniture, low vehicle net weights are being realized.

*) ANNOTATION CONCERNING WEIGHT DATA OF YOUR WEINSBERG CARAVANS:

The mass of the empty vehicle as referred to in the price list is the mass of the vehicle with standard equipment and without basic equipment, i.e. without „liquids“ and without optional fittings as referred to in art. 2, ciff. 3 VO (EU)

Mass in running order, see Article 2, ciff. 4 a) VO (EU) 1230/2012, unless nothing different is regulated, is defined as follows:

Mass of the vehicle with standard equipment as referred to in manufacturer specifications:

- + Steel liquid gas bottles (11 kg) filled to 100% (i. e. 23 kg total mass)
- + Fresh water tank (filled to 100%)
- + Toilet flush tank (100 % full)
- + Fresh water boiler filled to 100%
- = Mass in ready-to-start mode

The "permissible total mass" see Article 2, ciff. 7 VO (EU) 1230/2012 is defined as follows:

The mentioned vehicle's maximum mass from the manufacturer in loaded state (incl. Optional equipment/extras/packages and gas, water, luggage and load, etc.)

For you as WEINSBERG caravan user:

The maximum permissible payload as referred to in the WEINSBERG catalogue is defined as:

Technically authorized total mass - mass in running order = maximum permissible payload

Example:

(Technically authorized total mass) 1.400 kg
 - (Mass in running order) 1.090 kg
 = (Maximum permissible payload) 310 kg

Please note that maximum permissible payload as referred to in the catalogues, for example if the mass of the additional fitting is reduced.

Please note that your WEINSBERG caravan still must have a minimum payload capacity (= minimum payload) after deduction of optional equipment's mass from the maximum permissible payload, which may not be below the minimum payload (cf. attachment I, part D, para. 2.3.4.1 VO (EU) 1230/2012):
 (Maximum number of berths + total length (in m) of the vehicle body) x 10 = Minimum permissible payload (kg)

Example:

[(Maximum number of berths) 4 + (total length (in m) of vehicle body) 5] x 10 = 90 kg
 The mass of the vehicle with standard equipment according to manufacturer specifications is determined through weighing of the vehicle with standard fitting.

As a user of a caravan, you are required not to exceed the values of the permissible total mass in driving mode, and respective maximum permissible axle load and nose weight limits. Furthermore, you are obliged to adhere to all other requirements for a safe usage of your caravan.

Knaus Tabbert GmbH Helmut-Knaus-Str. 1 D-94118 Jandelsbrunn

WEINSBERG

www.weinsberg.com

Dein Urlaub!